



300 Forty Foot Road • Lansdale, PA 19446 Ph: 215-855-3617 This report is also available online at www.npwa.org

❸Printed on Recycled Paper

NPWA water meets or exceeds all State and Federal Safe Drinking Water Act standards.

2018

## ANNUAL DRINKING WATER QUALITY REPORT

This report is being mailed to you as a requirement of the Federal Safe Drinking Water Act.

PWSID#1460034

"A dedicated, professional workforce committed to providing the community with a safe, reliable, and economical water supply."

## **EDUCATIONAL INFORMATION**

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

## Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring
  or result from urban stormwater runoff, industrial or domestic wastewater discharges,
  oil and gas production, mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and can also come from gas stations, urban stormwater runoff and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA and DEP prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. FDA and DEP regulations establish limits for contaminants in bottled water

which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

## INFORMATION ABOUT LEAD

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. North Penn Water Authority is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours,



you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

## INFORMATION ABOUT ARSENIC

While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water.

EPA continues to research the health effects of low levels of arsenic which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

## INFORMATION ABOUT NITRATE

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of

rainfall or agricultural activity. If you are caring for an infant, you should ask advice from your health care provider.

## CRYPTOSPORIDIUM AND GIARDIA

Cryptosporidium and Giardia are microbial pathogens found in surface water throughout the U.S. Monitoring of our source water (before treatment) at Forest Park Water (FPW) indicated the presence of Cryptosporidium in 3 out of 9 samples collected. Giardia was detected in 5 out of 9 samples collected. FPW treatment processes are designed to remove or inactivate Cryptosporidium and Giardia cysts with a high level of certainty. Current available test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Symptoms of

infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immuno-compromised people, infants and small children, and the elderly are at greater risk of developing life-threatening illness. NPWA encourages immuno-compromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. Cryptosporidium and Giardia must be ingested to cause disease, and they may be spread through means other than drinking water.

### Below is a list of parameters which NPWA monitored for in 2017 but DID NOT DETECT:

### Inorganic Chemicals (IOCs)

Beryllium Cyanide Nitrite Thallium Cadmium Mercury Selenium

### Coliform Bacteria

E. Coli Total Coliform Bacteria

### Perfluorinated Compounds (PFCs)

Perfluorononanoic acid (PFNA)

Perfluorobutanesulfonic acid (PFBS)

Perfluoroheptanoic acid (PFHpA)

Perfluorohexanesulfonic acid (PFHxS)

### Volatile Organic Chemicals (VOCs)

| 1,1,1-Trichloroethane  | 1,2-Dichloroethane   | Chlorobenzene            | Toluene                    |
|------------------------|----------------------|--------------------------|----------------------------|
| 1,1,2-Trichloroethane  | 1,2-Dichloropropane  | cis-1,2-Dichloroethylene | trans-1,2-Dichloroethylene |
| 1,1-Dichloroethylene   | o-Dichlorobenzene    | Dichloromethane          | Trichloroethylene          |
| 1,2,4-Trichlorobenzene | Benzene              | Ethylbenzene             | Vinyl Chloride             |
| p-Dichlorobenzene      | Carbon tetrachloride | Styrene                  | Xvlenes, total             |

### Synthetic Organic Chemicals (SOCs)

| 1,2-Dibromo-3-chloropropane | Dalapon                    | Ethylene dibromide | Oxamyl [Vydate]   |
|-----------------------------|----------------------------|--------------------|-------------------|
| 2,4-D                       | Di(2-ethylhexyl) adipate   | Glyphosphate       | Pentachlorophenol |
| 2,4,5-TP [Silvex]           | Di(2-ethylhexyl) phthalate | Heptachlor         | Picloram          |

Alachlor Dinoseb Heptachlor epoxide PCBs [Polychlorinated biphenyls]

Atrazine Dioxin [2,3,7,8-TCDD] Hexachlorobenzene Simazine
Benzo[a]pyrene Diquat Hexachlorocyclopentadiene Toxaphene

Carbofuran Endothall Lindane
Chlordane Endrin Methoxychlor

## HOW NPWA IS PROTECTING THE WATER YOU DRINK

To enhance water quality, NPWA performs an annual hydrant flushing program which takes place in the spring of each year. This flushing program helps improve water quality by removing any possible build-up of mineral deposits from the inside of water distribution pipes. NPWA also has an aggressive water main replacement program to improve the quality of water that we deliver to our customers. Old unlined cast iron mains, that can affect water quality and restrict flow, are replaced on a regular

basis. These projects are scheduled when Penn DOT or our member municipalities are doing work on the roads to reduce inconvenience to the community.

In 2017, NPWA received the Directors Award for its efforts with the Partnership for Safe Water's Distribution System Optimization Program (DSOP). NPWA became the first public water utility in Pennsylvania to join the DSOP and among the first in North America to receive this prestigious honor for successfully completing a comprehensive self-assessment of water distribution system operations. The assessment involves an evaluation of distribution system operations and performance, including factors such



as chlorine residuals, pressure levels and frequency of water main breaks. The final report is reviewed by water resource professionals from across the United States. This award acknowledges the Authority's commitment to excellence in distribution system operations in providing high quality safe drinking water to the customer's tap above and beyond regulatory standards.

NPWA's Wellhead Protection (WHP) Program, approved by the PA DEP, meets the requirements for a local WHP Program in accordance with the Pennsylvania Safe Drinking Water Regulations.

The WHP Program provides valuable information to the Authority such as: identifying the protection zone around each well, identifying potential sources of contamination for each well, identifying the land areas around our wells, and the underground geologic layers, that are within the pumping zones of influence. This information will greatly assist the Authority in dealing with emergency response in case of a hazardous spill event that could threaten the well, so that remedial measures could be put in place. Also, implementation of contingency planning could involve revisions to local land use practices, if necessary, to protect the integrity of the groundwater supply.



## 2018 ANNUAL DRINKING WATER QUALITY REPORT

North Penn Water Authority — PWSID # 1460034

## FOREST PARK WATER

Forest Park is a state of the art water treatment facility that combines conventional treatment processes with advanced techniques, which include ozone disinfection and membrane filtration. Membrane filtration is a leading-edge technology capable of consistently producing very high quality water and ensures the plant can safely meet the more stringent federal and state water quality regulations that will be required in the near future. This combination of traditional and innovative water treatment allows Forest Park to produce the safest, highest quality water possible. In 2017, the American Water Works Association presented the Forest Park Water Treatment Plant with the highly prestigious 5-Year Presidents Award of recognition from the Partnership for Safe Water. The 5-Year Presidents Award recognizes achieving very stringent individual filter performance turbidity goals over a five-year period, signifying the outstanding operations and maintenance practices at this high performing water treatment plant. The Forest Park Water Treatment Plant has been involved in the Partnership for Safe Water since 1995 and is a Directors Award recipient since 2002.







# MORTH PENN WATER AUTHORITY 2018 ANNUAL DRINKING WATER QUALITY REPORT

North Penn Water Authority — PWSID # 1460034

Este informe contiene información importante acerca de su agua potable. Haga que alguien lo traduzca para usted, ó hable con alguien que lo entienda.

This report contains important information about your drinking water. Have someone translate it for you, or speak with someone who understands it.

Owners of multiple family dwellings, commercial businesses, public housing, or similar situations, are encouraged to post and/or distribute this report. Additional copies are available and can be obtained at North Penn Water Authority's operations center or by calling (215) 855-3617.

This report is also available online at www.npwa.org.

NPWA water meets or exceeds all State and Federal Safe Drinking Water Act standards.

### **Water System Information**

quality

economical

North Penn Water Authority (NPWA) is pleased to present to you this year's Annual Drinking Water Quality Report. This brochure is a snapshot of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to Environmental Protection Agency (EPA) and Pennsylvania Department of Environmental Protection (PA DEP) state standards. We are committed to providing you with information because informed customers are our best allies. The Authority's staff of professionals is dedicated to ensuring that our customers receive a safe, economical, and continuous supply of water.

It is important for our valued customers to be informed about their water quality. If you have any questions about this report or regarding your water utility, please contact Lindsay Hughes, Community Relations Coordinator, at (215) 855-3617 or visit our website at www.npwa.org. If you want to learn more about NPWA, please attend any of our regularly scheduled Board of Directors meetings. Meetings are held on the fourth Tuesday of every month at the Authority's operations center located at 300 Forty Foot Road, near the intersection of Forty Foot and Allentown Roads in Towamencin Township. Meetings begin at 7:30 p.m.

### Sources of Water

In 2017, approximately 88% of the water that NPWA delivered to its customers was treated surface water from the Forest Park Water (FPW) Treatment Plant located in Chalfont. The source of water that is treated at Forest Park Water is the North Branch Neshaminy Creek. The North Branch Neshaminy Creek originates as a small stream near Route 413 in Central Bucks County. The creek then flows into Lake




Galena, which is the reservoir for Forest Park Water. Water released from Lake Galena flows down the Neshaminy Creek to where it is then drawn into the Forest Park Water Treatment Plant, in Chalfont, Pennsylvania. Water is pumped from the Delaware River at Point Pleasant and diverted into the North Branch Neshaminy Creek near Gardenville, Pennsylvania. This diversion controls the level of Lake Galena for recreational purposes, ensures a sufficient drinking water supply, and maintains base flow in the stream.

The remaining 12% of water came from 13 groundwater supply wells that NPWA operates. These wells are located throughout our service territory, in Bucks and Montgomery Counties. The water from these wells is chlorinated before it is delivered to our customers' homes.

## SOURCE WATER ASSESSMENT

A Source Water Assessment of the North Branch Neshaminy Creek Intake, which supplies water to the Forest Park Water Treatment Plant, was completed and prepared by Spotts, Steven & McCoy, Inc. for the PA DEP. The Assessment found that the North Branch Neshaminy Creek Intake is potentially most susceptible to point sources of pollution from auto repair shops, wastewater treatment plants, boating, quarries, on-lot septic systems and gas stations. Non-point sources of potential contamination include major transportation corridors and runoff from areas of urban





any release of contaminants or accidental occurrences that could compromise the integrity of your drinking water quality.

A Source Water Assessment of our groundwater sources was completed by the PA DEP. Most of the land that surrounds NPWA wells is highly developed commercial and residential areas, with a small amount of forested or agricultural/undeveloped land. The Assessment found that our groundwater sources are potentially most susceptible to transportation corridors, residential and agricultural activities, railroad transportation,

auto repair shops, machine/metal working businesses, National Priorities List (NPL) sites, industrial wastewater disposal, golf courses, a recycling center and a print shop. Summary reports of the Assessments are available on the Source Water Assessment Summary Reports eLibrary web page: http://www.elibrary.dep.state. pa.us/dsweb/View/Collection-10045. Complete reports were distributed to municipalities, water supplier, local planning agencies and PA DEP offices. Copies of the complete reports are available for review at the PA DEP Southeast Regional Office, Records Management Unit at (484)250-5910.

### North Penn Water Authority serves over 34,000 customers in the following municipalities:

Hatfield Borough Lansdale Borough Sellersville Borough Souderton Borough Franconia Township Hatfield Township Lower Salford Township Skippack Township Towamencin Township

and portions of: East Rockhill Township Hilltown Township Montgomery Township New Britain Borough

New Britain Township Salford Township Upper Gwynedd Township Upper Salford Township

## PEOPLE WITH SPECIAL HEALTH CONCERNS

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be

particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

## MONITORING YOUR WATER

NPWA routinely monitors for contaminants in your drinking water according to federal and state laws. The following tables show the results of our monitoring for the period of January 1 to December 31, 2017. The State allows us to monitor for some

contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data is from prior years in accordance with the Safe Drinking Water Act. The date has been noted on the sampling results table.

## **DEFINITIONS**

In the following tables you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms, we've provided the following definitions:

- Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is
- necessary for control of microbial contaminants. Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not

reflect the benefits of the use of disinfectants to control microbial contamination.

- Minimum Residual Disinfectant Level (MinRDL): The minimum level of residual disinfectant required at the entry point to the distribution system.
- Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.
- NTU: Nephelometric turbidity unit is a measure of the clarity of water.
- N/A: Not Applicable
- pCi/L: picocuries per liter (a measure of radioactivity)
- ppm: parts per million, or milligrams per liter (mg/L)
- ppb: parts per billion, or micrograms per liter (μg/L)
- ppt: parts per trillion, or nanograms per liter (ng/L)

## DETECTED SAMPLE RESULTS

North Penn Water Authority — PWSID #

| CHEMICAL CONTAMINANTS                |        |         |                              |                        |       |                              |                     |  |  |
|--------------------------------------|--------|---------|------------------------------|------------------------|-------|------------------------------|---------------------|--|--|
| Contaminant                          | MCL    | MCLG    | Highest<br>Level<br>Detected | Range of<br>Detections | Units | Sample<br>Date               | Violation<br>Yes/No | Sources of Contamination   |  |
| Bromate                              | 10     | 0       | 3.7                          | 2.3 – 3.7              | ppb   | 2017                         | No                  | By-product of drinking water disinfection  |  |
| Chlorine<br>(In distribution system) | MRDL=4 | MRDLG=4 | 1.01                         | 0.75 – 1.01            | ppm   | 2017                         | No                  | Water additive used to control microbes  |  |
| Arsenic                              | 10     | 0       | 6                            | 0 – 6                  | ppb   | 2015,<br>2016<br>and<br>2017 | No                  | Erosion of natural deposits; Runoff<br>from orchards; Runoff from glass<br>and electronics production wastes |  |
| Barium                               | 2      | 2       | 0.448                        | 0.0181 –<br>0.448      | ppm   | 2015,<br>2016<br>and<br>2017 | No                  | Discharge of drilling wastes;<br>Discharge from metal refineries;<br>Erosion of natural deposits             |  |
| Chromium                             | 100    | 100     | 3                            | 0 – 3                  | ppb   | 2015,<br>2016<br>and<br>2017 | No                  | Discharge from steel and pulp mills;<br>Erosion of natural deposits  |  |
| Fluoride                             | 2      | 2       | 0.124                        | 0 – 0.124              | ppm   | 2015,<br>2016<br>and<br>2017 | No                  | Erosion of natural deposits;<br>Discharge from fertilizer and<br>aluminum factories                          |  |
| Antimony                             | 6      | 6       | 0.7                          | 0 – 0.7                | ppb   | 2015,<br>2016<br>and<br>2017 | No                  | Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder                          |  |
| Nickel                               | N/A    | N/A     | 0.7                          | 0 – 0.7                | ppb   | 2015,<br>2016<br>and<br>2017 | No                  | Erosion of natural deposits; By-<br>product of various industrial<br>processes                               |  |

While many water suppliers continue to monitor nickel levels in water, there is currently no EPA maximum contaminant level (MCL) for nickel in drinking water. EPA is reconsidering the limit on nickel.

| Nitrate                          | 10 | 10  | 4.67  | 0.318 –<br>4.67 | ppm   | 2017                | No | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits |
|----------------------------------|----|-----|-------|-----------------|-------|---------------------|----|---|
| Tetrachloroethylene              | 5  | 0   | 1.02  | 0 – 1.02        | ppb   | 2017                | No | Discharge from factories and dry cleaners   |
| Haloacetic Acids<br>(HAAs)       | 60 | N/A | 12.1* | 3.48 – 28.4     | ppb   | 2017                | No | By-product of drinking water disinfection   |
| Total Trihalomethanes<br>(TTHMs) | 80 | N/A | 28.9* | 6.2 – 66.9      | ppb   | 2017                | No | By-product of drinking water chlorination   |
| Alpha Emitters                   | 15 | 0   | 5.68  | 0 – 5.68        | pCi/L | 2014<br>and<br>2017 | No | Erosion of natural deposits   |
| Combined Radium                  | 5  | 0   | 1.18  | 0 – 1.18        | pCi/L | 2014<br>and<br>2017 | No | Erosion of natural deposits   |
| Uranium                          | 30 | 0   | 5.50  | 0 – 5.50        | μα/L  | 2014<br>and         | No | Erosion of natural deposits   |

<sup>\*</sup>Since compliance is based on a running annual average, this value represents the highest running annual average result.

| ENTRY POINT DISINFECTANT RESIDUAL |                                     |                             |                     |       |                |                     |   |  |  |  |
|-----------------------------------|-------------------------------------|-----------------------------|---------------------|-------|----------------|---------------------|---|--|--|--|
| Contaminant                       | Minimum<br>Disinfectant<br>Residual | Lowest<br>Level<br>Detected | Range of Detections | Units | Sample<br>Date | Violation<br>Yes/No | Sources of Contamination                |  |  |  |
| Chlorine - Wells                  | 0.4                                 | 0*                          | 0 – 2.00            | ppm   | 2017           | No                  | Water additive used to control microbes |  |  |  |
| Chlorine – FPW<br>Treatment Plant | 0.2                                 | 1.00                        | 1.00 –<br>1.72      | ppm   | 2017           | No                  | Water additive used to control microbes |  |  |  |

2017

<sup>\*</sup>Chlorine levels did not drop below the minimum residual level required for more than 4 hours.

| TURBIDITY AT FOREST PARK WATER TREATMENT PLANT |  |      |                              |                     |                |                     |                          |  |  |
|--|--|------|------------------------------|---------------------|----------------|---------------------|--------------------------|--|--|
| Contaminant                                    | MCL  | MCLG | Highest<br>Level<br>Detected | Range of Detections | Sample<br>Date | Violation<br>Yes/No | Sources of Contamination |  |  |
| Turbidity                                      | TT=1 NTU<br>for a single<br>measurement      | N/A  | 0.04                         | 0.01 –<br>0.04      | 2017           | No                  | Soil runoff              |  |  |
|  | TT= at least 95% of monthly samples ≤0.3 NTU | N/A  | 100%                         | N/A                 | 2017           | No                  | Soil runoir              |  |  |

Turbidity is a measure of the cloudiness of water. We monitor it because it is a good indicator of the effectiveness of our filtration system. As a member of the Partnership for Safe Drinking Water, our goal is to achieve <0.1 NTU. In 2017, we accomplished this. 100% of all samples were <0.1 NTU.

| LEAD AND COPPER |                         |      |                             |       |   |                |                     |   |  |
|-----------------|-------------------------|------|-----------------------------|-------|---|----------------|---------------------|---|--|
| Contaminant     | Action<br>Level<br>(AL) | MCLG | 90th<br>Percentile<br>Value | Units | # of Sites<br>Above AL<br>of Total<br>Sites | Sample<br>Date | Violation<br>Yes/No | Sources of Contamination                |  |
| Lead            | 15                      | 0    | 2.0                         | ppb   | 2 out of 34                                 | 2017           | No                  | Corrosion of household plumbing systems |  |
| Copper          | 1.3                     | 1.3  | 0.698                       | ppm   | 0 out of 34                                 | 2017           | No                  | Corrosion of household plumbing systems |  |

Perfluorinated Compounds (PFCs):
There are some contaminants for which the EPA develops health advisories, but has not yet established regulatory limits for compliance by public water suppliers. The health advisories provide technical information on health effects. Perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS) are included in those contaminants that have no regulatory limit but are associated with a health advisory. Currently, PFOA and PFOS have a combined health advisory level (HAL) of 70 ppt. These chemicals are among a family of manmade chemicals that have been used for decades as an ingredient to make products that resist heat, oil, stains, grease and water, and are used in foam products for firefighting. Due to recent health concerns in the region regarding PFOA and PFOS (PFCs), Forest Park Water Treatment Plant voluntarily elected to monitor water at the plant for PFCs.

| PFOA and PFOS (PFCs), Forest Park Water Treatment Plant voluntarily elected to monitor water at the plant for PFCs. |                        |                     |       |             |  |  |  |  |  |  |
|---|------------------------|---------------------|-------|-------------|--|--|--|--|--|--|
| FOREST PARK WATER TREATMENT PLANT   |                        |                     |       |             |  |  |  |  |  |  |
| Contaminant   | Average Level Detected | Range of Detections | Units | Sample Date |  |  |  |  |  |  |
| Perfluorooctanesulfonic acid (PFOS)   | 0                      | 0 – 2.1             | ppt   | 2017        |  |  |  |  |  |  |
| Perfluorooctanoic acid (PFOA)   | 2.7                    | 2.0 – 3.0           | ppt   | 2017        |  |  |  |  |  |  |
| PFOS + PFOA*  | 2.8                    | 2.0 – 4.9           | ppt   | 2017        |  |  |  |  |  |  |